



E.S. GLOBAL TOP

**Going Forward with
Dedication to Better Connecting**



Contents

- **Corporate Info.**
- **Corporate Culture**
- **Service Competency**
- **Product Lines**
- **RD Capabilities**
- **Quality & Reliability Guaranteed**
- **Manufacturing Capabilities**

Corporate Info.

Year of founding: 2008
Registry No.: 28926684
Capital: NT\$10 million

Locations:



Office:
Taoyuan Dist.,
Taoyuan City,
Taiwan



Warehouse:
Zhongli Dist.,
Taoyuan City,
Taiwan


Banking info

Bank: First Commercial Bank West Chung Li Branch
Account No.: #282-40-007534
Address: No.30, Chung Yan West Road Sec. 2, Chung Li Dist.,
Taoyuan City 320 Taiwan
Swift Code: CBKWTWP



Corporate Culture

Enthusiasm
in connecting



Superiority
with service

Guarantee
for quality

Technology
oriented



Service Competency

Competency executing

fulfilling competency in making differentiation for customers.

Leads exploring


understanding customer's need and supporting with solutions.

Technical consulting

providing timely supports for customer's product development.

Service coordinating

creating synergy through team work.



Product Lines

RJ11/RJ45/ICM




- Discreet & ICM RJ
- One row 1xN
- Dual row 2xN
- Integrated features:
PoE 60W/90W/120W
L-G surge protection 2KV/6KV
- Speed rate:
10/100M, 1G, 2.5G, 5G & 10G

SFP/QSFP Cage



- SFP/SFP+/SFP28
- QSFP+/QSFP28/QSFP-DD
- One row 1xN
- Dual row 2xN
- Belly to belly application
- Optional light pipe & heat sink

Transceiver & BOSA



- Transceiver
1G SFP, 10G SFP+, 25G SFP25,
40G QSFP+, 50/100G QSFP28,
200G QSFP56/QSFP-DD
400/800G OSFP/QSFP-DD
- BOSA
25GS-PON ONU BOSA
COMBO ONU BOSA
XGSPON ONU BOSA
10G EPON ONU BOSA
GPON ONU BOSA
EPON ONU BOSA

Note: ICM compatible to following chips at PHY side

Intel GPY211/X540/X550/X557

Broadcom BCM8488/BCM84881/BCM84898

Realtek RTL8125B

Marvel 88E2180/88X3310/88X3340

Aquantia AQC111C/AQCC/AQR107/AQR113C


Product Lines

Automotive




- Automotive charging
- High voltage harness
- Low voltage connector
- High speed vehicle connector
- ECU connector
- Window lift connector

Thermal Solution



- Extrusion
- Die-casting
- Liquid cooling
- Capable to support modularization & customization


MCIO & Cable



- MCIO connectors
PCIe 4X/8X
90°/180° oriented
- Patch cord & DAC
- Feature DAC:
10G SFP / 25G SFP28
40G QSFP / 100G QSFP28
40G QSFP fan out
100G QSFP28 fan out
400G QSFP-DD
miniSAS HD 4X/8X



RD Capabilities






Quality & Reliability Guaranteed

Temp. & Humidity



Thermal Shock Resistance



Bending Test




Insulation Resistance



Withstanding Voltage



LLCR Measurement



Salt Spray Test

Durability & Force

Coating Thickness

High Frequency Test

Halogen Free

RoHS & REACH Compliance



Manufacturing Capabilities, ISO-9001/14001 & IATF16949 Certified

Injection



Stamping



Electroplating

Auto Assembly

Die Casting

Cleanroom



The logo for ESGT, featuring the letters 'ESGT' in a bold, white, sans-serif font. The 'E' is stylized with three horizontal bars. The background of the logo area is a dark teal color with a yellow and blue diagonal stripe.

ESGT

The main title of the company, 'E.S. GLOBAL TOP' in white italicized font, followed by 'E.S. Global Top Technology Co., Ltd.' in a larger, bold, yellow font. The background is a dark teal color with a light blue geometric pattern of dots and lines.

E.S. GLOBAL TOP
E.S. Global Top Technology Co., Ltd.

The contact information, including the website 'www.esgt.com.tw' and the email address 'seanchao@esgt.com.tw', both in white text. A QR code is located to the right of the text.

website: www.esgt.com.tw
contact: seanchao@esgt.com.tw

