



RJ11/RJ45

- 1x1
- 1xN
- 2xN



RJ11/RJ45

Wide variety of port configuration, single/1xN/2xN
Side/top or angled (limited selection) entry jack
Optional shield, LED, and gold plating thickness
Conformance to UL 94 V-0, RoHS and REACH

MATERIAL

HOUSING	thermoplastic
SHIELD	copper alloy nickel plated or stainless steel
CONTACT	phosphor bronze gold plated over nickel
OPERATION TEMPERATURE	-40°C~+85°C (dependent on housing material)

ELECTRICAL

CURRENT RATING	1.5A@25°C
VOLTAGE RATING	125V AC
INSULATION RESISTANCE	1000MΩ min. @500V DC
WITHSTANDING VOLTAGE	1000V AC RMS or 1500V DC @0.5mA 50Hz / 60Hz one minute
CONTACT RESISTANCE	35~50mΩ max.


MECHANICAL

SOLDERING	DIP / SMT (limited selection)
MATING/UNMATING FORCE	22N / 2.27kg max.
RETENTION STRENGTH	57.83N or 30N min.
DURABILITY	750 cycles min.

(information as described above is reference only; specification shall be according to datasheet pertaining to each part number)


1x1

EZC0711-16N11-01




1x1

EZC0745-18N11-02




1x1

EZC0745-18S11-01




1x1

EZC0745-18N11-01




1x1

EZC0745S-18S11-01




1x1

EZC0811-16S11-01




1x1

EZC0845-18N11-01




1x1

EZC0811-16N11-01




1x1

EZC0811-16N11-02




1x1

EZC0811-16N11-04




1x1

EZC0811-16N11-03




1x1

EZC0811-16N11-05




1x1

EZC0811-16N11-06




1x1

EZC1011-16N11-01




1x1

EZC1045-18N11-01




1x1

EZC1445-18S11-01




1x1

EZC1445-18S21-01




1x1

EZC745-18N11-01




1x1

EZC1445S-18S11-01




1x1

EZC745-18S11-01




1x1

EZC745-18S11-02




1x1

EZC745-18S11-03




1x1

EZC745-18S11-02




1x1

EZC745-16N11-01




1x1

EZC745-14N11-01




1x2

EZC0811-26N11-03




1x2

EZC0811-26N11-01




1x2

EZC0811-26N11-02




1x2

EZC1011-26N11-01




1x2

EZC1445-28S11-01




1x4

EZC0745-48N21-01




1x4

EZC1045-48N11-01




1x4

EZC1145-41N11-01




1x4

EZC1145-41N11-03




1x4

EZC1145-48N21-02




1x4

EZC1145-48S11-01




1x4

EZC1145-48N21-05




1x4

EZC1145-48S21-02




1x4

EZC1445-48S21-01




1x5

EZC1445-58S11-01




1x6

EZC1145-68M21-01




1x6

EZC1445-68S11-01




1x8

EZC1145-88S21-01



1x8

EZC1445-88S11-01




2x1

EZC1445-218S21-01


2x2

EZC1445-228S11-01



2x4

EZC1445-248S11-01



2x6

EZC1445-268S21-01

